

## Gage, Fred

---

**From:** Thomas, Craig  
**Sent:** Wednesday, January 06, 2016 8:55 AM  
**To:** Gage, Fred  
**Subject:** FW: BKG Kankakee  
**Attachments:** 14030659(Weston)Rev0.pdf

**From:** Thomas, Craig  
**Sent:** Wednesday, March 26, 2014 7:49 AM  
**To:** Johnson, Mark <johnson.mark@epa.gov>  
**Subject:** FW: BKG Kankakee

Mark,

The first two samples are residential well samples. We re-sampled because Buckeye was getting low detects of compounds which appeared either to be lab contaminants or some break-down products of chlorination ; we took splits on a second round just to make sure there wasn't an issue.

The other three are the summa canister samples. I need to confirm with my START contractors on what the "upgradient" location is.

Craig

**From:** Lisa Graczyk [<mailto:LGraczyk@css-dynamac.com>]  
**Sent:** Tuesday, March 25, 2014 11:31 AM  
**To:** Johnson (Pierce), Brennan ([Brennan.Johnson@WestonSolutions.com](mailto:Brennan.Johnson@WestonSolutions.com)); Thomas, Craig; Maguire, Andrew  
**Subject:** FW: BKG Kankakee

Lisa Graczyk  
Dynamac Corporation  
20 North Wacker Drive, Suite 2035  
Chicago, IL 60606  
(w) 312-424-3339  
(c) 312-305-6745  
(fax) 312-424-3330  
[lgraczyk@css-dynamac.com](mailto:lgraczyk@css-dynamac.com)

**From:** Tom Bauer [<mailto:TBauer@STATAnalysis.com>]  
**Sent:** Tuesday, March 25, 2014 10:09 AM  
**To:** Lisa Graczyk  
**Subject:** RE: BKG Kankakee

Lisa-

Corrected Level II report.

Thank you, Tom

Tom Bauer  
General Manager  
STAT Analysis Corp.  
2242 W. Harrison, Suite 200  
Chicago, IL 60612  
(312) 733-0551

The information contained in this e-mail message and any attachments is confidential information intended only for the use of the individual or entities named above. If the reader of this message is not the intended recipient you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by e-mail at the originating address.

-----Original Message-----

**From:** Lisa Graczyk [<mailto:LGraczyk@css-dynamac.com>]

**Sent:** Tuesday, March 25, 2014 9:52 AM

**To:** Tom Bauer

**Subject:** RE: BKG Kankakee

Tom, are you sending this over soon?

Lisa Graczyk  
Dynamac Corporation  
20 North Wacker Drive, Suite 2035  
Chicago, IL 60606  
(w) 312-424-3339  
(c) 312-305-6745  
(fax) 312-424-3330  
[lgraczyk@css-dynamac.com](mailto:lgraczyk@css-dynamac.com)

---

**From:** Tom Bauer [<mailto:TBauer@STATAnalysis.com>]

**Sent:** Monday, March 24, 2014 5:31 PM

**To:** Lisa Graczyk

**Subject:** BKG Kankakee

Lisa-

I was going over the report I just sent you. Some of the qc summary pages are out of order. We will send a revised report with the EDD.

I am sorry for the inconvenience, Tom

Tom Bauer  
General Manager  
STAT Analysis Corp.  
2242 W. Harrison, Suite 200